

# Horserail®

The Original Horserail® Fencing System.



HORSERAIL HOTTOP PLUS® & HOTCOTE®

*Horserail® fencing is the most trusted flexible rail by equine property owners globally.*

Horserail® is made from a 4-inch wide, long-life UV stabilised non-conductive medium density polyethylene. It mimics the appearance of a traditional timber rail from a distance and features three molecularly bonded high-tensile wires running through it.


Designed and made in the US, the original Horserail® has over 30 years of proven performance, even in tough Australian weather, making it one of the safest and most reliable options for equine properties.

- 3 x high tensile wires trapped within the rail.
- Long-life UV stabilized, non-conductive, medium density polyethylene
- Highly conductive carbon compound
- Molecularly bonded to the wire
- Available in black, white or brown colours



*Trusted all over the world for over 30 years.*





## *Client testimonial*

“We are extremely happy with the Horserail® products we have used on our 120 acre property Pinker Park. Apart from looking very professional and smart we have very minimal maintenance and it is so safe for the horses the way it is designed. We would recommend it 110% to anyone looking to set up any kind of equine property.”

*Simon Hunter*  
*Farm Manager – Pinker Park, Euroa, Victoria*



## Horserail Hottop Plus<sup>®</sup> is the everything and all of electric horse fencing — incorporating safety, longevity and cost-effectiveness. Proven in Australia for 30+ years!

Horserail Hottop Plus<sup>®</sup> is a flexible electric rail that has both top and bottom wires electrifiable. It's built from medium density polyethylene and three high tensile wires which are molecularly bonded, to provide a strong, unbreakable and splinter-free fence. Horserail Hottop Plus<sup>®</sup> is made in the USA for Australian conditions.

PLEASE NOTE: If using Hottop Plus<sup>®</sup> as your bottom rail – pay special attention to the distance from the ground to the bottom side of rail – and make sure to keep the area under the fence free of tall grass and any debris that may cause the electricity to short out.

- 3 x high tensile wires trapped within the rail.
- Long-life UV stabilized, non-conductive, medium density polyethylene
- Highly conductive carbon compound
- Molecularly bonded to the wire
- Available in black, white or brown colours



**Horserail Hottop Plus<sup>®</sup> 200m is for those who want the finest electric horse fencing system.**



**Horserail Hottop Plus<sup>®</sup> 200m roll - 4" - Electric Rail - Black**

**CODE:** HBHTP4200  
**SIZE:** 96cm x 96cm x 12cm  
**PALLET QUANTITY:** 10 Rolls  
**WEIGHT:** 62kg  
**LIMITED WARRANTY:** 10 years

\*Available in white



**Horserail Hottop Plus<sup>®</sup> 100m roll - 4" - Electric Rail - Black**

**CODE:** HBHT4100  
**SIZE:** 77cm x 77cm x 12cm  
**PALLET QUANTITY:** 10 Rolls  
**WEIGHT:** 31kg  
**LIMITED WARRANTY:** 10 years

\*Available in white

**Horserail Hotcote<sup>®</sup> Wire can be used in combination with the rail, a great way to reduce your budget.**



**Horserail Hotcote<sup>®</sup> 400m Roll - Electric Plastic Coated Wire - Black**

**CODE:** HBHTC400  
**SUITABLE FOR:** Your entire fence or in conjunction with Horserail<sup>®</sup>  
**SIZE:** 65cm x 65cm x 15cm  
**PALLET QUANTITY:** 10 Rolls  
**WEIGHT:** 32kg  
**LIMITED WARRANTY:** 20 years

\*Available in white

- Polyethylene coated high tensile wire with electric conductive strips running length of roll
- Long-life UV stabilized, non-conductive, medium density polyethylene
- Installation hardware features a patented procedure for attaching, joining and tensioning the coated wire, providing a clean, neat look while being safe for both horse and rider
- No stripping, crimping or notching needed



# Horserail® Buckles, Brackets and Spoolers.

Horserail® is a complete horse fencing system that comes with its original fittings that should be installed in conjunction with the rails to ensure the utmost effectiveness.

- Steel is hot-dipped galvanised, with a powder coated finish
- Safer for horses and riders
- Easy to use
- Heavy duty steel
- Available in black, white or brown colours



**Horserail® 45° Insulated Attaching Buckle - 4" - Electric - Insulated Steel - Black**

**CODE:** HBHT445AB  
**SUITABLE FOR:** Hottop® and Hottop Plus® Rail  
**SIZE:** 15cm x 11cm x 6cm  
**PACK QUANTITY:** Box of 25  
**WEIGHT:** 0.40kg  
**ADDITIONAL DETAILS:** Ideal for attaching to round, steel or timber posts.



**Horserail® Top Rail Insulated Bracket - 4" - Heavy Duty Plastic - Black**

**CODE:** HBHT4TP  
**SUITABLE FOR:** Hottop®, Hottop Plus® Rail and Horserail®  
**SIZE:** 14cm x 8cm x 3cm  
**PACK QUANTITY:** Box of 50  
**WEIGHT:** 0.06kg  
**ADDITIONAL DETAILS:** Used for attaching top rail.



**Horserail® Straight Insulated Attaching Buckle - 4" - Electric - Insulated Steel - Black**

**CODE:** HBHT4SAB  
**SUITABLE FOR:** Hottop® and Hottop Plus® Rail  
**SIZE:** 17cm x 12cm x 3cm  
**PACK QUANTITY:** Box of 25  
**WEIGHT:** 0.50kg  
**ADDITIONAL DETAILS:** Ideal for attaching to square, round, steel or timber posts.



**Horserail® Line Post Insulated Bracket - 4" - Heavy Duty Plastic - Black**

**CODE:** HBHT4LP  
**SUITABLE FOR:** Hottop®, Hottop Plus® Rail and Horserail®  
**SIZE:** 15cm x 2cm x 3cm  
**PACK QUANTITY:** Box of 50  
**WEIGHT:** 0.05kg  
**ADDITIONAL DETAILS:** For attaching rail to side of post.



**Horserail® Top 90° Insulated Inside Corner Bracket - 4" - Electric - Insulated Steel - Black**

**CODE:** HBHT4TIC  
**SUITABLE FOR:** Hottop® and Hottop Plus® Rail  
**SIZE:** 21cm x 14cm x 8cm  
**PACK QUANTITY:** Box of 25  
**WEIGHT:** 0.40kg  
**ADDITIONAL DETAILS:** Allows the rail to run continuously around corners and curves.



**Horserail® 90° Insulated Inside Corner Bracket - 4" - Electric - Insulated Steel - Black**

**CODE:** HBHT4IC  
**SUITABLE FOR:** Hottop® and Hottop Plus® – on 2nd/3rd/4th rails  
**SIZE:** 25cm x 8cm x 3cm  
**PACK QUANTITY:** Box of 25  
**WEIGHT:** 0.30kg  
**ADDITIONAL DETAILS:** Allows the rail to run continuously around corners and curves.



**Horserail® Joining Buckle - 4" - Black**

**CODE:** HBHT4JB  
**SUITABLE FOR:** Hottop®, Hottop Plus® Rail and Horserail®  
**SIZE:** 12cm x 12cm x 2cm  
**PACK QUANTITY:** Box of 25  
**WEIGHT:** 0.40kg



**Horserail® Tensioning Spooler - 4" - Black**


**CODE:** HBHT4TS  
**SUITABLE FOR:** Hottop® and Hottop Plus® Rail  
**SIZE:** 14cm x 9cm x 9cm  
**PACK QUANTITY:** Box of 25  
**WEIGHT:** 0.70kg  
**ADDITIONAL DETAILS:** Can be placed anywhere on the rail, at any time, by first holding it up to the rail and then sliding the removable section into the appropriate slot. Tighten and set locking pins.

# Horserail Hotcote® products are designed to create highly effective electrifiable horse fencing.



Hotcote® provides an electric shock by using high-tensile wire coated in a highly conductive carbon compound. The product can be used alone as a fence or along with Horsecote® and/or Horserail® to create the look you desire. With patented installation hardware, the coated wire is attached, joined, and tensioned in a clean, neat manner while remaining safe for both horse and rider. A properly installed fence with no exposed wires can be achieved without stripping, crimping, or notching.

- Steel is hot-dipped galvanised, with a powder coated finish
- Heavy duty steel
- Easy to use
- Safer for horses and riders
- Available in black, white or brown colours



**Horserail Hotcote® 45° Attaching Buckle - Electric - Insulated Steel - Black**

**CODE:** HBHTC45AB  
**SUITABLE FOR:** Hotcote®  
**SIZE:** 15cm x 11cm x 6cm  
**PACK QUANTITY:** Box of 25  
**WEIGHT:** 0.40kg  
**ADDITIONAL DETAILS:** Attaching end is set on 45° angle. Ideal for attaching to round posts.




**Horserail Hotcote® Donut Tensioner - Black**

**CODE:** HBHCD  
**SUITABLE FOR:** Hotcote®  
**SIZE:** 8cm x 8cm x 5cm  
**PACK QUANTITY:** Box size 12  
**WEIGHT:** 0.40kg  
**ADDITIONAL DETAILS:** No stripping or crimping needed. Comes with 2 Stainless Steel Locking Pins.



**Horserail Hotcote® Straight Attaching Buckle - Electric - Insulated Steel - Black**

**CODE:** HBHTCSAB  
**SUITABLE FOR:** Hotcote®  
**SIZE:** 14cm x 7cm x 3cm  
**PACK QUANTITY:** Box size 25  
**WEIGHT:** 0.20kg  
**ADDITIONAL DETAILS:** Ideal for attaching to square timber or steel posts.



**Horserail Hotcote® Inside Corner Roller - 4" - Black**

**CODE:** HHICR4  
**SUITABLE FOR:** Hotcote®  
**SIZE:** 16cm x 4cm x 6cm  
**PACK QUANTITY:** Box size 12  
**WEIGHT:** 0.15kg  
**ADDITIONAL DETAILS:** Insulated coach screw with roller attached. Allows the coated wire to run continuously around bends more than 45°.



**Horserail Hotcote® Joining Buckle - Steel - Black**

**CODE:** HBHCJB  
**SUITABLE FOR:** Hotcote®  
**SIZE:** 10cm x 2cm x 2cm  
**PACK QUANTITY:** Box of 10  
**WEIGHT:** 0.06kg  
**ADDITIONAL DETAILS:** A quick, secure method to join coated wires without stripping or crimping. Used for joining two ends of Hotcote® together.



**Standard Hotcote® Line Insulator - Black**

**CODE:** I28LB  
**SUITABLE FOR:** Hotcote®  
**SIZE:** 7cm x 5cm x 3cm  
**PACK QUANTITY:** Box of 30  
**WEIGHT:** 0.04kg  
**ADDITIONAL DETAILS:** A heavy duty interlocking insulator for Hotcote® which sits flush against the posts. Ideal for timber or plastic posts.



**Horserail Hotcote® Insulator - White**

**CODE:** HWHTCIN  
**SUITABLE FOR:** Hotcote®  
**SIZE:** 7cm x 5cm x 2.5cm  
**COLOUR:** Black (Code: HBHTCIN) and white  
**PACK QUANTITY:** Box of 50  
**WEIGHT:** 0.05kg  
**LIMITED WARRANTY:** 20 years  
**ADDITIONAL DETAILS:** No sharp edges or moving parts, saves time and aggravation, weather resistant and UV stabilized & very strong.

## Our new Hotcote® Insulator is unlike any other fencing insulator on the market.

Horserail® has developed a world-class design innovation for permanent installation of electrifiable coated wire fencing. The Hotcote® Insulator is an extremely durable wire mount that is made of high quality plastic and allows easy installation of coated wire while insulating it from the posts. Developed from a customer request, the Hotcote® Insulator was made to compliment the quality of Horserail® coated wire and accessories.

# Horserail® and Hotcote® Accessories

Each piece of this horse fencing system is designed to be easily installed using a patented procedure for attaching, joining and tensioning. It lets you create a long lasting and attractive fence that requires little maintenance.

Our Horserail® brackets are insulated, double coated for superior weather resistance, hot-dipped galvanised, with a powder coated finish and are easy to use.



#### Horserail® Fixed Insulated 'T' Buckle - 4" - Steel - Black

**CODE:** HBHT4FT  
**DESCRIPTION:** Allows for a 'T' Junction off an existing fence line. Used on 2nd, 3rd & 4th rails.  
**SUITABLE FOR:** Hottop® and Hottop Plus®  
**SIZE:** 16cm x 7cm x 8cm  
**PACK QUANTITY:** Box of 25  
**WEIGHT:** 0.70kg



#### Horserail® Fixed Top Insulated 'T' Buckle - 4" - Steel - Black

**CODE:** HBHT4FTT  
**DESCRIPTION:** Allows for a 'T' junction off an existing fence line. Used on top rail.  
**SUITABLE FOR:** Hottop® and Hottop Plus®  
**SIZE:** 18cm x 18cm x 7cm  
**PACK QUANTITY:** Box of 25  
**WEIGHT:** 0.60kg



#### M12 Timber Coach Screw C/W Washer

**CODE:** ACSM12  
**DESCRIPTION:** 12mm galvanised coach screw. Used for attaching buckles and larger brackets to timber posts.  
**SUITABLE FOR:** Timber posts  
**SIZE:** 13cm x 2cm x 2cm  
**PACK QUANTITY:** Box size 25  
**WEIGHT:** 0.01kg



#### Horserail® Bending Tool - 4"

**CODE:** HBT  
**DESCRIPTION:** Use for inserting rail into Buckles at optimum shape.  
**SUITABLE FOR:** Hottop®, Hottop Plus® Rail and Horserail®  
**SIZE:** 14cm x 12cm x 4cm  
**WEIGHT:** 0.37kg




#### Horserail Hotcote® Extended Ratchet Handle 4" Kit - Tensioning Tool

**CODE:** HERH-4  
**DESCRIPTION:** This handy tool allows you to insert two ratchets in the end to tension up the spoolers with one hand while inserting the pins.  
**SIZE:** 77cm x 11cm x 3cm  
**WEIGHT:** 2.75kg



#### M12 Attaching Bolt with Nut

**CODE:** APBM12  
**DESCRIPTION:** Used to attach buckles and larger brackets to steel posts.  
**SUITABLE FOR:** Steel posts  
**SIZE:** 4cm x 3cm x 2cm  
**PACK QUANTITY:** Box size 25  
**WEIGHT:** 0.1kg



#### Black Tek Screw - Steel - 30mm

**CODE:** ABTSS30  
**DESCRIPTION:** Galvanised screws used to attach smaller brackets to steel posts - 12g x 39mm.  
**SIZE:** 4cm x 1cm x 1cm  
**PACK QUANTITY:** Box of 250  
**WEIGHT:** 0.01kg



#### Black Tek Screw - Timber - 50mm

**CODE:** ABTST50  
**DESCRIPTION:** Used to attach smaller brackets to timber and plastic posts - 12 gauge screw, 50mm long.  
**SIZE:** 3.7cm x 1.5cm x 1.5cm  
**PACK QUANTITY:** Box of 250  
**WEIGHT:** 1gram



#### Horserail Hotcote® Extended Ratchet Handle 2" Kit - Tensioning Tool

**CODE:** HERH-HC  
**DESCRIPTION:** Used to tension rail or coated wire. (Ratchets are sold separately.)  
**SIZE:** 67cm x 20cm x 3cm  
**WEIGHT:** 2.75kg

## Extended Handle Ratchets

- ➔ Used for an easy "one-man" installation process!
- ➔ Heavy duty construction - made to last and endure the day-to-day requirements of professional fence installers.
- ➔ Long handles - for better leverage and safer installation.

Beautiful fencing,  
you'll be proud of forever.